

OPT-2008 Gigabit Ethernet Switch

8*10/100/1000Base-Tx

RoHS Compliant



>>Description

The switch provide 8-port 10/100/1000M RJ45, Switch by the United States the latest Marvell IC, stable performance and excellent quality, with a higher cost performance. For small optical Ethernet network with special needs.

>>Main Features

- Complies with IEEE802.3, IEEE802.3u/ab/z standard
- Provides 8-port 10/100/1000M RJ45
- Supports auto duplex(HDX/FDX) auto MDI/MDIX function
- Supports 802.3x flow control
- Optional VLAN function
- Supports jumbo frame size 10K bytes
- Status LED for easy monitoring of device status
- FCC Class A & CE approved

>> Specifications

Interface

- 8 x Ethernet port (RJ45) 10/100/1000Base-Tx

Ethernet Port

- Cable: Cat 5/5e/6 UTP cable
- Available speed: force 10Mbps, force 100Mbps, force 1000Mbps and auto-detective 10/100/1000Mbps. Full-Duplex and Half-Duplex auto-negotiation
- Connectors: RJ-45 Connector; MDI/MDI-X connection auto-sensing

Standard

- IEEE802.3 (10Base-T)
- IEEE802.3u (100Base-TX/FX)
- IEEE802.3ab (1000Base-T)
- IEEE802.3z (1000Base-SX/LX/CX/T)
- IEEE802.3x (Flow control)

LED Indicators

- Power Status, TX Link/Act

Switch Properties

- MAC Table: 16K
- Packet Buffer: 2Mbit
- Switching Delay: <5µs

Power Requirement

- 12V DC, External AC to DC adapter

Physical Characteristics

- Housing: Metal enclosure
- Dimensions: 214 x 105 x 32mm
- Weight: 0.6kg

Environmental Limits

- Operating Temperature: -10°C to 70°C
- Storage Temperature: -20°C to 70°C
- Operating Humidity: 10% to 90% RH (non-condensing)
- Storage Humidity: 5% to 90% RH (non-condensing)

Agency Approvals

- FCC Part 15 of Class A & CE approved

Warranty

- 3 years

>> Ordering Information

OPT-2008	8*10/100/1000Base-Tx, VLAN Optional
----------	-------------------------------------

>> Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTONE before they become applicable to any particular order or contract. In accordance with the OPTONE policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTONE or others. Further details are available from any OPTONE sales representative.

sales@optone.net

<http://www.optone.net>